


# How NeuroStar® TMS Works

## Mechanism of Action



1) A cushioned coil is precisely positioned on the head



2) NeuroStar therapy is delivered directly to the part of the brain associated with depression



3) Magnetic pulses, similar in strength to an MRI, stimulate certain parts of the brain that affect mood



4) These pulses re-establish connections

### AVERAGE TREATMENT PLAN\*

36	5 DAYS	20
TREATMENTS	EACH WEEK	MINUTES

\*Treatment plan may vary depending on doctor's recommendations



Watch the Video  
to See How  
NeuroStar TMS  
Works

#### NeuroStar Adult Indications for Use

The NeuroStar Advanced Therapy System is indicated for the treatment of depressive episodes and for decreasing anxiety symptoms for those who may exhibit comorbid anxiety symptoms in adult patients suffering from Major Depressive Disorder (MDD) and who failed to achieve satisfactory improvement from previous antidepressant medication treatment in the current episode.

The NeuroStar Advanced Therapy System is intended to be used as an adjunct for the treatment of adult patients suffering from Obsessive-Compulsive Disorder (OCD).

#### NeuroStar Adolescent Indications for Use

NeuroStar Advanced Therapy is indicated as an adjunct for the treatment of Major Depressive Disorder (MDD) in adolescent patients (15-21).

Visit [neurostar.com](http://neurostar.com) for full safety and prescribing information.


# TMS vs. Antidepressants

## Why Consider Alternatives to Antidepressants

### Key findings from a landmark study



Traditional antidepressants don't work for everyone. Up to 35% of patients fail to respond to first-line treatments and suffer from treatment-resistant depression (TRD).<sup>1</sup> Clinical evidence shows that after two or more unsuccessful antidepressant trials, patients experience significantly better outcomes with innovative therapies such as Transcranial Magnetic Stimulation (TMS).<sup>2</sup>

In a head-to-head study, rTMS led to higher response and remission rates than antidepressant medication. Compared to medication, patients were 2.5 times more likely to respond and 5.5 times more likely to achieve remission with rTMS.<sup>2</sup>



### The best option when medications fail

NeuroStar® TMS therapy is the only treatment clinically proven to be effective through 12 months in adult treatment-resistant depression (TRD) patients.<sup>3</sup>



## Let's reshape the future of depression care

Consider NeuroStar TMS Therapy for patients who haven't responded to two antidepressant trials. It's time to expand your treatment toolkit and improve outcomes for those with treatment-resistant depression.

#### References

1. Rush AJ, Trivedi MH, Wisniewski SR, et al. *Am J Psychiatry*. 2006; 163: 1905-1917.
2. Dalhuisen I, van Oostrom I, Spijker J, et al. *Am J Psychiatry*. 2024; 1;181(9):806-814.
3. Dunner DL, et al. *J Clin Psychiatry*. 2014; 75(12):1394-1401.
4. Sackeim HA, et al. (2020). *J Affect Disord*, 277:65-74. Based on a real world, retrospective study using CGI-S and a sample size of 615 patients.